What Would Jon Do [about running out of IPv4 Addresses]?

NANOG/ARIN Meeting
Los Angeles. Oct 15, 2008
Bob Braden, ISI

What Would Jon Do (Now)?

- I haven't the foggiest idea.
- Could ask: what DID Jon do?
 - Ask Danny Cohen
- Which Jon? Probably different answers ...
 - The Internet guru ("Protocol Czar")
 - The network researcher

Early History of TCP/IP

- Running out of address space was not high on TCP/IP research agenda. More urgent issues:
 - Making TCP work
 - Making routers and routing work
 - Interfacing LANs to WANs
 - Interworking with X.25 and OSI
 - Making congestion control work

– ...

What does the record show?

- Cerf/Kahn paper: IEEE TOC, May 74: 8 bit network numbers
- TCP v1: INWG Note 72, Dec 74: ??
- TCP v2: Cerf, IEN 5, Mar 77: **8 bits**
- Comment on v2: Postel, IEN 2, Aug 77:
 - Variable length in 4bit chunks
 - Hop-by-hop (src routed) forwarding

What does the record show?

- TCP v3: Cerf & Postel, IEN 21, Jan 78:
 - Variable Length Net/Host addresses in octet chunks.
 - But: network numbers assumed to be 8 bits
 - TCP/IP split formalized in v3.
- TCP v4: Postel, IEN 41, June 78:
 - Variable Length Net/Host addresses in octet chunks.

Converging...

- Latest Header Formats, Postel, IEN 44, Jun 78.
 - Fixed length 32-bit addresses.
 - BUT: First byte assumed to be network number
- Internet Protocol, Postel, IEN 111, Aug 79
 - Ditto

The great divide!

- Assigned Numbers, Postel, RFC 776, Jan 81
 - Network numbers are still 8 bits
- Assigned Numbers, Postel, RFC 790, Sep 81
 - 32 bit addresses, classes A, B, C.
- Did not invent CIDR
 - (Probably would have, if concerned about exhausting address space)

I remember...

• At one meeting, Jon and Danny pushed for variable-length IP addresses.

- Vint said "NO. Too hard to implement!
 - Vint was ARPA PM, that closed the argument.
 - Jon grumbled from the back of the room.
 - Danny fumed.

So, what would Jon do?

- 1. Expand the address space to be so big that we will not run out in near future.
 - => PUSH FOR UBIQUITY OF IPv6
 - Or else find another line of work.

2. Re-introduce variable length addresses? (probably not)